























Tabuľka prevodov, vrtulí a prúdov

MOTOR	AKU	PREVOD	VRTUĽA	OT/MOTORA	OT/VRTULE	PRÚD [A]	VÝKON [W]	ŤAH [g]	ÚČINNOSŤ [%]		
MIG 600 Turbo 7,2V 7 x 1700 Sanyo SCR		1:1	4,7 x 2,4	19300	8,6	42	260	58			
			6 x 3	16500	17	89	490	65			
			6 x 4	15700	19,8	100	580	64			
			7 x 3	14500	23	112	605	62			
			7 x 3,5	14000	24,8	116	665	61			
			7 x 4	13500	26,3	120	695	60			
			7 x 5	12700	28,8	124	780	57			
			7,5 x 4	12500	29,4	125	750	57			
			8 x 4,5	11200	33,6	129	810	52			
			8 x 6	10200	36,8	128	900	48			
				1,75:1	6 x 4	19600	11200	7,7	36	290	56
					7 x 3	19000	10900	9,3	47	345	60
					7 x 3,5	18800	10700	10,1	52	375	62
					7 x 4	18500	10600	11	57	435	63
					7 x 5	18000	10300	12,5	66	490	64
					7,5 x 4	17900	10200	12,9	68	490	64
8 x 4,5	16900	9600			15,9	84	605	65			
8 x 6	16000	9100			18,6	96	725	65			
9 x 5	15100	8600			21,4	107	750	63			
9 x 6	14500	8300			23,4	113	840	62			
10 x 6	13000	7400			28	123	925	58			
	2,33:1	7,5 x 4	19500	8300	7,9	37	315	56			
		8 x 4,5	18900	8100	9,7	49	405	61			
		8 x 6	18300	7800	11,5	60	520	63			
		9 x 5	17700	7600	13,6	72	580	65			
		9 x 6	17200	7400	15	80	665	65			
		10 x 6	15900	6800	18,9	97	780	64			
		10 x 8	15000	6400	21,8	108	925	63			
		11 x 6	14700	6300	22,8	111	900	62			
		11 x 8	13700	5800	25,9	119	1045	60			
		12 x 6	13400	5700	26,6	120	985	59			
		13 x 7	11700	5000	31,9	128	1100	54			
14 x 9,5	9600	4100	38,5	127	1245	46					
	2,8:1	8 x 6	19300	6900	8,4	40	405	58			
		9 x 5	18900	6700	9,9	50	460	61			
		Hmotnosť [g]	9 x 6	18500	6600	11	57	520	63		
		10 x 6	17500	6200	14	74	665	65			
		Motor	220	10 x 8	16700	5900	16,4	86	810	65	
		Prevodovka	35	11 x 6	16500	5800	17,3	90	780	65	
		Aku	380	11 x 8	15600	5500	20	102	925	64	
		Spolu	635	12 x 6	15400	5500	20,7	105	870	64	
				13 x 7	13700	4900	25,7	119	1040	60	
				14 x 9,5	11500	4100	32,5	128	1240	53	
				16 x 10	9500	3400	28,8	126	1330	46	
	3,33:1	9 x 5	19700	5900	7,4	34	345	54			
		9 x 6	19400	5800	8,1	39	405	57			
		10 x 6	18700	5600	10,4	53	520	62			
		10 x 8	18100	5400	12,2	65	665	64			
		11 x 6	17900	5300	12,9	68	635	64			
		11 x 8	17100	5100	15,2	80	780	65			
		12 x 6	17000	5100	15,7	83	750	65			
		13 x 7	15500	4600	20,2	102	925	64			
		14 x 9,5	13400	4000	26,6	121	1185	59			
		16 x 10	11300	3400	33,2	128	1330	53			
		16 x 13	10400	3100	36,1	128	1420	49			
	3,8:1	9 x 6	19900	5200	6,6	28	320	51			
		10 x 6	19400	5100	8,2	40	435	57			
		Hmotnosť [g]	10 x 8	18900	4900	9,7	49	550	61		
		11 x 6	18700	4900	10,3	53	550	62			
		Motor	220	11 x 8	18100	4700	12,1	64	665	64	
		Prevodovka	40	12 x 6	18000	4700	12,6	66	635	64	
		Aku	380	13 x 7	16700	4400	16,4	86	840	65	
		Spolu	640	14 x 9,5	14800	3900	22,3	109	1130	63	
				16 x 10	12700	3300	28,8	124	1305	57	
				16 x 13	11800	3100	31,7	128	1450	54	

Tabuľka prevodov, vrtulí a prúdov

MOTOR	AKU	PREVOD	VRTUĽA	OT/MOTORA	OT/VRTULE	PRÚD [A]	VÝKON [W]	ŤAH [g]	ÚČINNOSŤ [%]			
MIG 600 Turbo 7,2V 8 x 1700 Sanyo SCR		1:1	4,7 x 2,4	21800	10,2	61	315	63				
			6 x 3	18400	20,4	123	605	67				
			6 x 4	17300	23,6	137	725	65				
			7 x 3	16000	27,5	150	750	62				
			7 x 3,5	15400	29,4	155	810	61				
			7 x 4	14800	31,1	159	840	60				
			7 x 5	13900	33,9	163	925	57				
			7,5 x 4	13700	34,5	164	900	56				
			8 x 4,5	12100	39,2	166	955	52				
			8 x 6	11000	42,6	164	1040	48				
					1,75:1	6 x 4	22200	12600	9,1	53	375	61
7 x 3	21500	12300				11,1	68	435	64			
7 x 3,5	21200	12100				12,1	75	490	66			
7 x 4	20800	11900				13,1	82	550	66			
7 x 5	20200	11500				15	94	635	67			
7,5 x 4	20000	11400				15,4	97	605	67			
8 x 4,5	18800	10700				19,1	117	750	67			
8 x 6	17800	10200				22,2	131	900	66			
9 x 5	16700	9500				25,5	144	925	64			
9 x 6	15900	9100				27,7	151	1015	62			
10 x 6	14200	8100				33	162	1130	58			
		2,33:1	7,5 x 4	22100	9500	9,3	55	405	61			
			8 x 4,5	21300	9100	11,6	72	550	65			
			8 x 6	20600	8800	13,8	86	665	67			
			9 x 5	19800	8500	16,3	102	725	67			
			9 x 6	19200	8200	18	112	840	67			
			10 x 6	17700	7600	22,6	133	985	66			
			10 x 8	16600	7100	25,9	146	1130	64			
			11 x 6	16200	6900	27,1	149	1070	63			
			11 x 8	15000	6400	30,6	158	1245	60			
			12 x 6	14700	6300	31,4	160	1160	59			
			13 x 7	12800	5500	37,3	166	1305	54			
		2,8:1	8 x 6	21900	7800	9,9	59	520	63			
			9 x 5	21300	7600	11,8	73	580	65			
			9 x 6	20800	7400	13,1	82	665	66			
			10 x 6	19600	7000	16,8	105	810	67			
			10 x 8	18600	6600	19,7	120	985	67			
			11 x 6	18300	6500	20,7	125	955	67			
			11 x 8	17200	6100	23,9	138	1130	65			
			12 x 6	17000	6000	24,6	141	1070	64			
			13 x 7	15100	5300	30,4	158	1245	60			
			14 x 9,5	12600	4500	37,9	166	1475	53			
			16 x 10	10200	3600	44,8	160	1565	45			
		3,33:1	9 x 5	22300	6700	8,7	50	460	60			
			9 x 6	22000	6600	9,6	57	520	62			
			10 x 6	21100	6300	12,4	77	665	66			
			10 x 8	20300	6100	14,7	92	840	67			
			11 x 6	20000	6000	15,5	97	810	67			
			11 x 8	19100	5700	18,2	113	985	67			
			12 x 6	18900	5600	18,9	116	925	67			
			13 x 7	17200	5100	24,1	139	1160	65			
			14 x 9,5	14700	4400	31,4	160	1450	59			
			16 x 10	12300	3700	38,7	166	1595	52			
			16 x 13	11200	3300	41,9	164	1710	49			
		3,8:1	9 x 6	22600	5900	7,7	42	435	56			
			10 x 6	21900	5700	9,8	58	550	62			
			10 x 8	21300	5600	11,6	72	695	65			
			11 x 6	21100	5500	12,3	76	695	66			
			11 x 8	20300	5300	14,6	91	870	67			
			12 x 6	20200	5300	15,1	95	810	67			
			13 x 7	18600	4900	19,7	120	1040	67			
			14 x 9,5	16300	4300	26,5	148	1360	63			
			16 x 10	13900	3600	33,8	163	1565	57			
			16 x 13	12800	3300	37,1	166	1740	54			
			Motor	220	Hmotnosť [g]	9 x 6	20800	7400	13,1	82	665	66
10 x 6	19600	7000				16,8	105	810	67			
10 x 8	18600	6600				19,7	120	985	67			
11 x 6	18300	6500				20,7	125	955	67			
11 x 8	17200	6100				23,9	138	1130	65			
12 x 6	17000	6000				24,6	141	1070	64			
13 x 7	15100	5300				30,4	158	1245	60			
14 x 9,5	12600	4500				37,9	166	1475	53			
16 x 10	10200	3600				44,8	160	1565	45			
Prevodovka	35	Hmotnosť [g]				9 x 6	20800	7400	13,1	82	665	66
						10 x 6	19600	7000	16,8	105	810	67
			10 x 8	18600	6600	19,7	120	985	67			
			11 x 6	18300	6500	20,7	125	955	67			
			11 x 8	17200	6100	23,9	138	1130	65			
			12 x 6	17000	6000	24,6	141	1070	64			
			13 x 7	15100	5300	30,4	158	1245	60			
			14 x 9,5	12600	4500	37,9	166	1475	53			
			16 x 10	10200	3600	44,8	160	1565	45			
			Aku	430	Hmotnosť [g]	9 x 6	20800	7400	13,1	82	665	66
						10 x 6	19600	7000	16,8	105	810	67
10 x 8	18600	6600				19,7	120	985	67			
11 x 6	18300	6500				20,7	125	955	67			
11 x 8	17200	6100				23,9	138	1130	65			
12 x 6	17000	6000				24,6	141	1070	64			
13 x 7	15100	5300				30,4	158	1245	60			
14 x 9,5	12600	4500				37,9	166	1475	53			
16 x 10	10200	3600				44,8	160	1565	45			
Spolu	685	Hmotnosť [g]				9 x 6	20800	7400	13,1	82	665	66
						10 x 6	19600	7000	16,8	105	810	67
			10 x 8	18600	6600	19,7	120	985	67			
			11 x 6	18300	6500	20,7	125	955	67			
			11 x 8	17200	6100	23,9	138	1130	65			
			12 x 6	17000	6000	24,6	141	1070	64			
			13 x 7	15100	5300	30,4	158	1245	60			
			14 x 9,5	12600	4500	37,9	166	1475	53			
			16 x 10	10200	3600	44,8	160	1565	45			
					3,33:1	9 x 5	22300	6700	8,7	50	460	60
						9 x 6	22000	6600	9,6	57	520	62
10 x 6	21100	6300				12,4	77	665	66			
10 x 8	20300	6100				14,7	92	840	67			
11 x 6	20000	6000				15,5	97	810	67			
11 x 8	19100	5700				18,2	113	985	67			
12 x 6	18900	5600				18,9	116	925	67			
13 x 7	17200	5100				24,1	139	1160	65			
14 x 9,5	14700	4400				31,4	160	1450	59			
16 x 10	12300	3700				38,7	166	1595	52			
16 x 13	11200	3300				41,9	164	1710	49			
		3,8:1	9 x 6	22600	5900	7,7	42	435	56			
			10 x 6	21900	5700	9,8	58	550	62			
			10 x 8	21300	5600	11,6	72	695	65			
			11 x 6	21100	5500	12,3	76	695	66			
			11 x 8	20300	5300	14,6	91	870	67			
			12 x 6	20200	5300	15,1	95	810	67			
			13 x 7	18600	4900	19,7	120	1040	67			
			14 x 9,5	16300	4300	26,5	148	1360	63			
			16 x 10	13900	3600	33,8	163	1565	57			
			16 x 13	12800	3300	37,1	166	1740	54			

Tabuľka prevodov, vrtulí a prúdov

MOTOR	AKU	PREVOD	VRTULA	OT/MOTORA	OT/VRTULE	PRÚD [A]	VÝKON [W]	ŤAH [g]	ÚČINNOSŤ [%]			
MIG 600 Turbo 8,4 V 8 x 1700 Sanyo SCR		1:1	4,7 x 2,4		17000	5,6	28	200	52			
			6 x 3		15200	11,2	69	405	64			
			6 x 4		14500	13,2	80	520	65			
			7 x 3		13700	15,8	93	550	64			
			7 x 3,5		13300	17,1	99	580	63			
			7 x 4		12900	18,3	105	635	62			
			7 x 5		12200	20,3	111	725	60			
			7,5 x 4		12100	20,8	112	695	60			
			8 x 4,5		10900	24,3	121	780	56			
			8 x 6		10000	27,1	124	870	52			
					1,75:1	7 x 4	16500	9400	7,1	40	345	58
						7 x 5	16200	9200	8,1	48	405	61
						7,5 x 4	16100	9200	8,4	50	405	61
						8 x 4,5	15400	8800	10,5	64	490	64
						8 x 6	14800	8500	12,3	75	605	65
						9 x 5	14100	8100	14,5	87	665	64
						9 x 6	13600	7800	16	94	750	64
						10 x 6	12400	7100	19,6	109	870	61
						10 x 8	11600	6600	22,3	117	985	58
11 x 6	11300	6400				23,2	119	925	57			
11 x 8	10400	5900				26	123	1070	54			
		2,33:1	8 x 6	16400	7000	7,5	43	435	59			
			9 x 5	16000	6800	8,9	53	460	62			
			9 x 6	15600	6700	9,9	60	550	63			
			10 x 6	14700	6300	12,6	77	665	65			
			10 x 8	14000	6000	14,7	88	810	64			
			11 x 6	13800	5900	15,5	92	780	64			
			11 x 8	13000	5600	18	103	925	62			
			12 x 6	12800	5500	18,5	105	900	62			
			13 x 7	11400	4900	22,9	118	1040	57			
			14 x 9,5	9500	4100	28,6	125	1245	50			
			16 x 10	7800	3300	34	121	1305	42			
		2,8:1	9 x 5	16700	6000	6,5	35	345	56			
			9 x 6	16500	5900	7,1	40	435	58			
			10 x 6	15900	5600	9,1	55	550	63			
			10 x 8	15300	5400	10,8	66	665	64			
			11 x 6	15100	5400	11,4	70	665	64			
			11 x 8	14500	5100	13,4	82	810	64			
			12 x 6	14300	5100	13,9	84	750	64			
			13 x 7	13000	4600	17,8	102	955	62			
			14 x 9,5	11200	4000	23,4	119	1185	57			
			16 x 10	9400	3300	28,9	125	1330	50			
			16 x 13	8600	3100	31,4	124	1450	46			
		3,33:1	10 x 6	16600	5000	6,8	37	405	57			
			10 x 8	16200	4800	8	47	520	60			
			11 x 6	16100	4800	8,4	50	520	61			
			11 x 8	15600	4600	10	61	665	63			
			12 x 6	15500	4600	10,3	63	635	64			
			13 x 7	14400	4300	13,6	82	810	64			
			14 x 9,5	12800	3800	18,5	105	1100	62			
			16 x 10	11000	3300	24	120	1275	56			
			16 x 13	10200	3000	26,5	124	1420	53			
			17 x 8	11000	3300	24,2	120	1215	56			
			17 x 9	10600	3200	25,3	122	1275	55			
			17 x 11	10000	3000	27,2	124	1390	52			
			17 x 13	9500	2800	28,8	125	1475	50			
			18 x 9	9900	2900	27,5	124	1305	52			
			18 x 11	9300	2800	29,4	125	1420	49			
			18 x 13	8800	2600	30,9	125	1505	47			
					3,8:1	11 x 6	16700	4300	6,7	37	435	57
						11 x 8	16300	4200	7,9	46	550	60
						12 x 6	16200	4200	8,2	48	520	61
13 x 7	15300	4000				10,8	66	695	64			
14 x 9,5	13900	3600				15,1	90	985	64			
16 x 10	12300	3200				20,2	111	1215	60			
16 x 13	11500	3000				22,7	117	1360	58			
17 x 8	12200	3200				20,4	111	1160	60			
17 x 9	11800	3100				21,5	115	1215	59			
17 x 11	11200	2900				23,4	119	1330	57			
17 x 13	10700	2800				25	122	1450	55			
		Hmotnosť [g]	18 x 9	11100	2900	23,7	120	1275	56			
			18 x 11	10500	2700	25,6	123	1390	54			
			18 x 13	10000	2600	27,2	124	1475	52			
			Motor	220								
			Prevodovka	35								
			Aku	430								
			Spolu	685								
					3,33:1	10 x 6	16600	5000	6,8	37	405	57
						10 x 8	16200	4800	8	47	520	60
						11 x 6	16100	4800	8,4	50	520	61
						11 x 8	15600	4600	10	61	665	63
12 x 6	15500	4600				10,3	63	635	64			
13 x 7	14400	4300				13,6	82	810	64			
14 x 9,5	12800	3800				18,5	105	1100	62			
16 x 10	11000	3300				24	120	1275	56			
16 x 13	10200	3000				26,5	124	1420	53			
17 x 8	11000	3300				24,2	120	1215	56			
17 x 9	10600	3200				25,3	122	1275	55			
		3,8:1	11 x 6	16700	4300	6,7	37	435	57			
			11 x 8	16300	4200	7,9	46	550	60			
			12 x 6	16200	4200	8,2	48	520	61			
			13 x 7	15300	4000	10,8	66	695	64			
			14 x 9,5	13900	3600	15,1	90	985	64			
			16 x 10	12300	3200	20,2	111	1215	60			
			16 x 13	11500	3000	22,7	117	1360	58			
			17 x 8	12200	3200	20,4	111	1160	60			
			17 x 9	11800	3100	21,5	115	1215	59			
			17 x 11	11200	2900	23,4	119	1330	57			
			17 x 13	10700	2800	25	122	1450	55			
		Hmotnosť [g]	18 x 9	11100	2900	23,7	120	1275	56			
			18 x 11	10500	2700	25,6	123	1390	54			
			18 x 13	10000	2600	27,2	124	1475	52			
			Motor	220								
			Prevodovka	40								
			Aku	430								
			Spolu	690								

Tabuľka prevodov, vrtulí a prúdov

MOTOR	AKU	PREVOD	VRTULA	OT/MOTORA	OT/VRTULE	PRÚD [A]	VÝKON [W]	ŤAH [g]	ÚČINNOSŤ [%]
MIG 600 Turbo 8,4 V 10 x 1700 Sanyo SCR		1:1	4,7 x 2,4		21000	7,4	55	290	61
			6 x 3		18300	15,3	122	605	68
			6 x 4		17400	18	140	725	67
			7 x 3		16300	21,4	159	750	65
			7 x 3,5		15700	23	166	840	64
			7 x 4		15200	24,5	172	900	63
			7 x 5		14400	27	181	985	60
			7,5 x 4		14200	27,7	182	955	60
			8 x 4,5		12700	32	191	1040	55
			8 x 6		11600	35,2	192	1160	51
		1,75:1	7 x 4	20300	11600	9,6	76	520	66
			7 x 5	19800	11300	11	89	605	67
			7,5 x 4	19700	11200	11,4	92	605	67
			8 x 4,5	18700	10700	14,3	115	725	68
			8 x 6	17800	10200	16,8	133	900	68
			9 x 5	16900	9600	19,7	150	955	66
			9 x 6	16200	9200	21,6	160	1070	65
			10 x 6	14600	8300	26,3	178	1185	61
			10 x 8	13500	7700	29,5	187	1360	58
11 x 6	13100		7500	30,6	189	1275	57		
2,33:1	8 x 6	20100	8600	10,1	80	635	66		
	9 x 5	19500	8300	12,1	97	725	68		
	9 x 6	19000	8100	13,5	109	810	68		
	10 x 6	17700	7600	17,2	135	985	68		
	10 x 8	16800	7200	20	152	1160	66		
	11 x 6	16400	7000	21	157	1130	65		
	11 x 8	15400	6600	24,1	171	1305	63		
	12 x 6	15100	6500	24,8	173	1245	62		
	13 x 7	13300	5700	30,2	188	1420	57		
	14 x 9,5	11000	4700	37	191	1650	49		
2,8:1	16 x 10	8900	3800	43,2	180	1680	41		
	9 x 5	20600	7300	8,6	67	550	64		
	9 x 6	20300	7200	9,6	76	635	66		
	10 x 6	19300	6900	12,5	101	810	68		
	10 x 8	18500	6600	14,8	118	985	68		
	11 x 6	18300	6500	15,6	124	955	68		
	11 x 8	17300	6200	18,3	142	1160	67		
	12 x 6	17100	6100	18,9	145	1100	67		
	13 x 7	15400	5500	23,9	170	1330	63		
	14 x 9,5	13100	4600	30,8	189	1620	56		
3,33:1	16 x 10	10800	3800	37,4	191	1740	49		
	16 x 13	9900	3500	40,2	187	1885	45		
	10 x 6	20500	6100	9,1	71	635	65		
	10 x 8	19900	5900	10,8	87	810	67		
	11 x 6	19700	5900	11,5	92	780	67		
	11 x 8	18900	5700	13,6	110	955	68		
	12 x 6	18800	5600	14,1	113	925	68		
	13 x 7	17300	5200	18,4	143	1160	67		
	14 x 9,5	15100	4500	24,8	174	1505	62		
	16 x 10	12800	3800	31,5	190	1740	56		
3,8:1	16 x 13	11800	3500	34,5	192	1910	52		
	17 x 8	12800	3800	31,8	190	1620	55		
	17 x 9	12300	3700	33,1	192	1710	54		
	17 x 11	11500	3400	35,4	192	1825	51		
	17 x 13	10900	3200	37,2	191	1940	49		
	18 x 9	11400	3400	35,7	192	1740	51		
	18 x 11	10700	3200	37,9	191	1885	48		
	18 x 13	10000	3000	39,7	188	1970	46		
	11 x 6	20500	5400	9	70	635	65		
	11 x 8	19900	5200	10,7	86	810	67		
Hmotnosť [g]	12 x 6	19800	5200	11,1	89	780	67		
	13 x 7	18500	4800	14,8	118	1040	68		
	14 x 9,5	16600	4300	20,5	154	1390	66		
	16 x 10	14400	3800	27	181	1650	60		
	16 x 13	13400	3500	30	188	1855	57		
	17 x 8	14300	3700	27,2	181	1565	60		
	17 x 9	13800	3600	28,6	185	1650	59		
	17 x 11	13100	3400	30,9	189	1825	56		
	17 x 13	12400	3200	32,8	191	1940	54		
	18 x 9	13000	3400	31,2	190	1740	56		
Motor	220	18 x 11	12200	3200	33,5	192	1855	53	
		18 x 13	11500	3000	35,4	192	1970	51	
		11 x 6	20500	5400	9	70	635	65	
		11 x 8	19900	5200	10,7	86	810	67	
		12 x 6	19800	5200	11,1	89	780	67	
		13 x 7	18500	4800	14,8	118	1040	68	
		14 x 9,5	16600	4300	20,5	154	1390	66	
		16 x 10	14400	3800	27	181	1650	60	
		16 x 13	13400	3500	30	188	1855	57	
		17 x 8	14300	3700	27,2	181	1565	60	
Prevodovka	40	17 x 9	13800	3600	28,6	185	1650	59	
		17 x 11	13100	3400	30,9	189	1825	56	
		17 x 13	12400	3200	32,8	191	1940	54	
		18 x 9	13000	3400	31,2	190	1740	56	
		18 x 11	12200	3200	33,5	192	1855	53	
		18 x 13	11500	3000	35,4	192	1970	51	
		11 x 6	20500	5400	9	70	635	65	
		11 x 8	19900	5200	10,7	86	810	67	
		12 x 6	19800	5200	11,1	89	780	67	
		13 x 7	18500	4800	14,8	118	1040	68	
Aku	550	14 x 9,5	16600	4300	20,5	154	1390	66	
		16 x 10	14400	3800	27	181	1650	60	
		16 x 13	13400	3500	30	188	1855	57	
		17 x 8	14300	3700	27,2	181	1565	60	
		17 x 9	13800	3600	28,6	185	1650	59	
		17 x 11	13100	3400	30,9	189	1825	56	
		17 x 13	12400	3200	32,8	191	1940	54	
		18 x 9	13000	3400	31,2	190	1740	56	
		18 x 11	12200	3200	33,5	192	1855	53	
		18 x 13	11500	3000	35,4	192	1970	51	
Spolu	805	14 x 9,5	13100	4600	30,8	189	1620	56	
		16 x 10	10800	3800	37,4	191	1740	49	
		16 x 13	9900	3500	40,2	187	1885	45	
		10 x 6	20500	6100	9,1	71	635	65	
		10 x 8	19900	5900	10,8	87	810	67	
		11 x 6	19700	5900	11,5	92	780	67	
		11 x 8	18900	5700	13,6	110	955	68	
		12 x 6	18800	5600	14,1	113	925	68	
		13 x 7	17300	5200	18,4	143	1160	67	
		14 x 9,5	15100	4500	24,8	174	1505	62	